

# Approved Herbicide List for 2007

## Approved Adjuvant-Surfactant List:

**R-11 @ 1 pint/50 gallons**

**Syltac @ 1 pint/50 gallons**

**Hasten @1 pint/50 gallons**

**Non-Ionic 90 @1 pint/50 gallons**

Treatment sites that are located too close to water for recommended product labeling may be approved to utilize Rodeo or Aquamaster products instead.

\*All mixtures will be required to include an adjuvant/surfactant. Due to the various products available you are not required to use the above listed products. However, if your product is not listed it will be reviewed by staff before approval.

\*\*At certain stages Garrison Grass(Creeping meadow foxtail) can be damaged by Telar/Escort products contact specialist if you have concerns before making applications.

**\*\*\*ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS\*\*\***

<b>Noxious Weed</b>	<b>Chemical</b>	<b>Rate</b>	<b>Application Window</b>
Black Henbane	Tordon 22k+2,4-D Amine	1 qt/acre each	Before flower or rosette stage
	Telar/Escort+2,4-D Amine	1oz/acre and 1pint/acre	Before flower or rosette stage
Canada Thistle	Redeem	2 qts/acre	Pre-bloom and Fall
	Curtail	2 qts/acre	Pre-bloom and Fall
	Telar	1 oz/acre	Pre-bloom and Fall
Dalmatian Toadflax	Telar	1.33 oz/acre	Late flower and Fall(Sept. 1 to snow fall)
	Tordon 22k	2 qts/acre spot treatment	Late flower and Fall (Sept. 1 to snow fall)
Diffuse Knapweed	Curtail	2qts/acre	Before flower
	Weedmaster	1.5 qrts/acre	Rosette
	Tordon 22k+2,4-D Amine	1 qt/acre each	Rosette or before flower
Mediterranean Sage	Tordon 22k+2,4D Amine	1qt/acre and 1 qt/acre	Spring or Fall Rosette Stage
	Telar or Escort	1 oz/acre	Spring or Fall Rosette Stage
Medusahead Rye	Plateau	6 oz/acre	Fall before soil freeze up
	Landmark	Site specific contact rep.	Fall before soil freeze up
Perennial Pepperweed**	Escort or Telar	1 oz/acre	Bud through flower or Fall Rosette

	2,4-D Amine or HiDep	2 qt/acre	Bud through Flower
Purple Loosestrife	Garlon 3a	2 qt/acre	Actively Growing
Scotch Thistle	Escort or Telar	1 oz/acre	Before Bloom
	Weedmaster	1.5 qt/acre	Rosette
	Curtail	2 qt/acre	Before Bloom
	2,4-D+Clarity/Banvel	1 qt/acre and 1pt/acre	Before Bloom
Spotted Knapweed	Curtail	2 qts/acre	Spring (May 1-June 15)
	Tordon 22k+2,4-D Amine	1 qt/acre each	Spring or Fall
Russian Knapweed	Redeem	2 qts/acre	Bloom or Fall (Sept. 1 to snow fall)
	Tordon 22k	1 qt/acre	Bloom or Fall (Sept. 1 to snow fall)
	Milestone	6 oz/acre	Fall & Dormancy (October 1 to snow fall)
	Transline	1 1/3 pt/acre	Fall (Sept. 1 to snow fall)
Whiteweed**	Telar or Escort	1 oz/acre	Bloom stage or fall rosette
Yellow Starthistle	Curtail	2 qt/acre	Spring or Fall Rosette
	Tordon 22k+2,4-D Amine	1qt/acre and 1 pt/acre	Before Bud stage or Fall
	Banvel/Clarity+2,4-D Amine	1pint/acre and 1 qt/acre	Spring or Fall Rosette